

IFB No. 2016-002 for 2018 Vehicles Group I	Dealer Name: MHC Kenworth	Date: 10/8/2018
---	----------------------------------	------------------------

Minimum Specifications for ALL Heavy Duty Trucks are as Follows: Driver Air bag, Arm Rests - All Doors, Factory Air Conditioning, Factory Auxiliary 12 Volt Outlet, Factory Power Steering, Heavy Duty Increased Cooling System, 12 Volt Electrical System, Rubber Floor Covering, Gauges – Oil, Amp, Temperature, Fuel minimum, Tinted Windows – All, Full Length factory headliner, Electric Horns, Day/Night Inside Mirror, AM/FM Factory Radio, Spare Tire and Wheel - Same Size as Vehicle Tires, Power Steering, Dual Sun Visors, Intermittent Wipers.

Item No. 1	Type: FULL-SIZE VAN CUTAWAY CAB & CHASSIS	MFG'S CODE & DESCRIPTION	Current Model Year
FEATURE	DESCRIPTION		Mark Yes or No
Make Equal To	E-Series, G-Series, Freightliner, Mercedes, Ram Promaster or Equal		
Alternator	95 amp. min. State amp.		
Axle-Front			
Axle-Rear			
Battery	Maint. free, 600 CCA min., state		
Body Style	Cut away style cab and chassis		
Brakes	ABS		
Bumpers	Front & rear		
Drive Line	State front wheel drive, rear wheel drive, all wheel drive		
Engine	Min 8 cyl., gasoline, state liter, horsepower		
Fuel Tank			
GVWR			
Heater	Integral front & aux. rear, high capacity		
Lights	Courtesy light switches - all doors		
Mirrors-Outside	Dual low mount, factory installed, 5" x 8" min		
Paint	Provide Website		
Payload			
Seating	Vinyl, standard for vehicle		
Steering Wheel	Tilt & cruise- factory installed		
Tires	State		
Transmission	Automatic, min 4 speed		
Warranty	Attach all manufacturer standard		
Wheelbase	State		
Wheels	Dual rear to meet GVWR		

BID PRICING	TOTAL FULL-SIZE VAN CUTAWAY CAB & CHASSIS - Item No. 1	\$
--------------------	---	----

You must enter pricing in the online bid page

Alternative Fuel Options:	
Alternative Fuel Package: State Fuel Option and Base Price each Net	
Alternative Fuel Option: Circle Applicable - (CNG, LPG, P/H/EV, E85, B20)	
Alternative Fuel Operation: Circle Applicable - (State Dedicated, Bi-Fuel or Flex Fuel)	
Gas Gallon Equivalent (State how much fuel on board)	
GGE Gas Gallon Equivalent - Option 1 State Tank Size	\$
GGE-Gas Gallon Equivalent - Option 2 State Tank Size	\$
State manufacturer and model of conversion system	
State Current or Pending EPA or CARB Certification No.	
If no cert no, please explain.	
OEM Supported (offeror has QVM or SVM status or equivalent; state yes or no)	
Drop ship code (if applicable)	

OPTIONAL EQUIPMENT		
Air Bag	Passenger	\$
Alternator		\$
Ambulance Prep	State	\$
Back-up Alarm		\$
Brakes		\$
Bumper	Bright with guards, protective rubber strips front & rear	\$
Business Rack		\$
Clock	Digital	\$
Daytime Running Lights		\$
Defroster	Rear window	\$
Diagnostic Software & Cabling		\$
Engine		\$
Transmission		\$
ABS Brakes		\$
Electrical System		\$
Body Module		\$
Door Locks	Side & rear cargo doors keyed alike	\$
	Power, all doors, factory installed	\$
Door Options		\$

Item No. 1	Type: FULL-SIZE VAN CUTAWAY CAB & CHASSIS (continued)	MFG'S CODE & DESCRIPTION	Current Model Year
FEATURE	DESCRIPTION	BIDDER MUST COMPLETE	PRICE
			\$
			\$
Extended Cargo Capacity	Van box extension; state size:		\$
Extended Warranty	Provide Website		\$
			\$
Fuel Tanks			\$
Glass	Privacy or equal		\$

Heater	Engine block immersion	_____	\$ _____
Key Options	Extra key price	_____	\$ _____
		_____	\$ _____
Manuals	Service manuals	_____	\$ _____
Outfitter Switches	Includes wiring harness	_____	\$ _____
Paint	Provide Website	_____	\$ _____
		_____	\$ _____
Running Boards	Dual, polished bright treadplate	_____	\$ _____
	2" Drop	_____	\$ _____
	4" Drop	_____	\$ _____
Rust Proofing	Bidder must state brand & warranty, certificate required	_____	\$ _____
Seats	Cloth	_____	\$ _____
Spare Tire	Mounted on rear door - outside - factory installed	_____	\$ _____
Temporary Tag		_____	\$ _____
Wheels	Single rear wheels	_____	\$ _____
Windows		_____	\$ _____
		_____	\$ _____
Options Not Listed - Discount from MSRP- State Other Website For Pricing			%
	OPTION DELETE FROM STANDARD		
	Air Conditioning front	_____	\$ _____
	Molding, door edge	_____	\$ _____
	Molding, side trim	_____	\$ _____
	Steering wheel, cruise- factory installed	_____	\$ _____

Item No. 2	Type: 1-TON CAB & CHASSIS	Current Model Year		
FEATURE	DESCRIPTION	BIDDER MUST COMPLETE MFG'S CODE & DESCRIPTION	MEETS SPEC	
			Mark Yes or No	Yes No
State make & model	C3500, F350, Ram 3500			
Alternator	State amps			
Axle-Front	Front: to meet GVW, state			
Axle-Rear	Rear: to meet GVW, state			
Battery	Maint. free, 600 CCA min., state			
Brakes	ABS			
Cab "A"	Cab "A"			
Cab to Axle				
Differential				
Drive Line 4X2	Two (2) wheel drive			
Engine	Min 8 cyl., gasoline, EFI, state liter			
Floor Covering	Heavy duty vinyl/rubber			
Fuel Tank				
GVWR				
Heater/Defroster	Fresh air with multi-speed fan			
Mirrors-Outside	Dual, below eyeline, collapsable, 40 sq inch min			
Paint	Mfg. standard - provide Website			
Payload				
Seat	Full depth foam, vinyl, bench			
Shocks	Heavy duty			
Steering Wheel	Tilt			
Suspension	Heavy duty			
Tires	All season radial			
Transmission	Automatic, 4 speed			
Warranty	Provide Website			
Wheelbase				
Wheels	8-hole disc			
Wipers	Intermittent			

BID PRICING TOTAL STANDARD VEHICLE, 1-TON CAB & CHASSIS - Item NO. 2 \$
You must enter pricing in the online bid page

Alternative Fuel Options:	
Alternative Fuel Package: State Fuel Option and Base Price each Net	
Alternative Fuel Option: Circle Applicable - (CNG, LPG, P/H/EV, E85, B20)	
Alternative Fuel Operation: Circle Applicable - (State Dedicated, Bi-Fuel or Flex Fuel)	
Gas Gallon Equivalent (State how much fuel on board)	
GGE Gas Gallon Equivalent - Option 1 State Tank Size	\$
GGE-Gas Gallon Equivalent - Option 2 State Tank Size	\$
State manufacturer and model of conversion system	
State Current or Pending EPA or CARB Certification No.	
If no cert no, please explain.	
OEM Supported (offeror has QVM or SVM status or equivalent; state yes or no)	
Drop ship code (if applicable)	

Air Bag	Side	\$
Air Bag	Roof rail	\$
Alarm	Back up	\$
Alarm System		\$

Item No. 2	Type: 1-TON CAB & CHASSIS (Continued)	BIDDER MUST COMPLETE MFG'S CODE & DESCRIPTION	Current Model Year
FEATURE	DESCRIPTION	OPTIONAL EQUIPMENT	PRICE
			\$
			\$
			\$
	AMOUNT OF TAX CREDIT PROVIDED		\$
Ambulance Prep	State		\$

Item No. 2	Type: 1-TON CAB & CHASSIS (Continued)	BIDDER MUST COMPLETE MFG'S CODE & DESCRIPTION	Current Model Year
FEATURE	DESCRIPTION	OPTIONAL EQUIPMENT	PRICE
Brakes			\$
Brush Guard	Front		\$
Bumper	Rear step, painted		\$
Cab Options	Cab "B"		\$
	Cab "C"		\$
Cab Step	Driver side, factory		\$
	Both sides, factory		\$
Controller	Fast idle		\$
Convenience			\$
Cruise Control	Factory installed		\$
Daytime Running Lights			\$
Diagnostic Software & Cabling			\$
	Engine		\$
	Transmission		\$

ABS Brakes		\$
Electrical System		\$
Body Module		\$
Drive Line	4 X 4	\$
Dual Rear Wheels		\$
Engines	List cylinders, HP, liter, fuel type, horsepower	\$
		\$
		\$
Extended Warranty	Provide Website	\$
Fender Guides	Phillips Fender Guides or equal	\$
Floor Covering	Heavy duty carpeting	\$
Floor Mats	Rubber/ vinyl	\$
Fuel Tank		\$
Gear Ratios	Limited slip	\$
		\$
Hitch	Pintle	\$
Hourmeter	Standard engine-activated	\$
Key Options	Extra key price	\$
		\$
Lighting Packages		\$
Manuals	Service manuals	\$
Mirrors	Heated	\$
	6" X 16" Western, one piece	\$
	7" X 10" Western, one piece	\$
Outfitter Switches		\$
	Includes extra wiring harness	\$
Paint	Provide Website	\$
Power Locks/Windows	Factory installed	\$
Power Take Off		\$
	Driver side	\$
	Both sides	\$
Seats	Cloth interior	\$
	Bucket front	\$
		\$
Skid Plate	Factory installed	\$
Snow Plow Package		\$
Stabilizer Bar	1 1/4" front	\$
Temporary Tag		\$
Throttle	Hand control, locking	\$
Tires		\$
Tow Command	Factory installed	\$
Tow Hooks	2 each	\$
Trailer Tow Package		\$
Transmissions		\$
		\$
	Options Continued	\$
Wheelbase Options		\$
Window (Rear)	Sliding	\$
Wiring	Body builder harness	\$
Options Not Listed - Discount from MSRP- State Other Website For Pricing		%
OPTION DELETE FROM STANDARD		
Air Conditioning		\$
Cruise		\$
OnStar		\$
Radio		\$
Spare Tire		\$
Spare Wheel		\$
Tilt		\$

Item No. 3		Type: 15,000 GVWR CAB & CHASSIS	Current Model Year	
FEATURE	DESCRIPTION	BIDDER MUST COMPLETE MFG'S CODE & DESCRIPTION	MEETS SPEC	
			Mark Yes or No Yes	No
Cab & Chassis	State make & model			
Axle-Front	To meet GVW			
Axle-Rear	To meet GVW			
Battery	Heavy duty, maint. free, dual 600 CCA min.			
Brakes	Power, backing plate			
Cab	Cab "A"			
Cab to Axle	60" min., state			
Differential	Standard gear ratios selected at time of order			
Drive Line	Two wheel drive 4X2			
Engine	Minimum 300 horsepower, gasoline, state size			
Floor Covering	Heavy duty vinyl/rubber			
Fuel Tank	State size & location			
GVWR	15,000 LBS. min., state			
Headliner	Factory installed			
Heater/Defroster	Fresh air with multi-speed fan			
Mirrors	Swing-out recreational; largest available; state:			
Paint	Mfg. standard - provide Website			
Payload				
Power Take Off	Opening one side			
Seats	Full depth foam, vinyl			
Shocks	Heavy duty			
Suspension-Front	4,800 LB front, heavy duty			
Suspension-Rear	11,000 LB rear, heavy duty			
Tires	Steel belted radial, all season, standard for vehicle, 6 ea			
Transmission	Automatic, 4 speed with overdrive			
Warranty	Provide Website			
Wheelbase				
Wheels	Standard for model bid/6 each/dual rear			

Item No. 3 - TOTAL STANDARD VEHICLE, 15,000 GVWR

\$

You must enter pricing in the online bid page

Alternative Fuel Options:	
Alternative Fuel Package: State Fuel Option and Base Price each Net	
Alternative Fuel Option: Circle Applicable - (CNG, LPG, P/H/EV, E85, B20)	
Alternative Fuel Operation: Circle Applicable - (State Dedicated, Bi-Fuel or Flex Fuel)	
Gas Gallon Equivalent (State how much fuel on board)	
GGE Gas Gallon Equivalent - Option 1 State Tank Size	\$
GGE-Gas Gallon Equivalent - Option 2 State Tank Size	\$
State manufacturer and model of conversion system	
State Current or Pending EPA or CARB Certification No.	
If no cert no, please explain.	
OEM Supported (offeror has QVM or SVM status or equivalent: state yes or no)	
Drop ship code (if applicable)	

<u>OPTIONAL EQUIPMENT</u>		
Air Bag	Driver	\$
	Passenger	\$
Alarm	Back up	\$
		\$
<u>OPTIONAL EQUIPMENT</u>		
	AMOUNT OF TAX CREDIT PROVIDED	\$
	State	\$
Ambulance Prep		\$
Battery Box Location		\$
Brake	Anti-Lock Braking System (ABS)	\$
Brush Guard	Front	\$
Cab to Axle		\$
		\$
		\$
		\$
		\$
Cab Steps	Driver only, factory	\$
	Both sides, factory	\$
Console	Overhead storage area with safety net	\$
	Floor console	\$
Controller	Fast Idle Control (As Req'd on Diesel Auto.)	\$
Cabs	Cab "B"	\$
	Cab "C"	\$
		\$
Daytime Running Lights		\$
Diagnostic Software & Cables		\$
	Engine	\$

Item No. 3	Type: 15,000 GVWR CAB & CHASSIS (Continued)	Current Model Year	
FEATURE	DESCRIPTION	BIDDER MUST COMPLETE MFG'S CODE & Description	PRICE
	OPTIONAL EQUIPMENT		
Transmission			\$
Anti-Lock Brake/Air			\$
Anti-Lock Brake/Hydraulic			\$
Chassis Electrical System			\$
Cables			\$
Driveline	Four Wheel Drive / 4X4		\$
Engines	List Diesel / CYL/ Liter/ HP for each alternate		\$
			\$
			\$
Floor Covering	Heavy duty carpeting		\$
Floor Mats	Rubber/Vinyl		\$
Fuel Tank Alternates			\$
			\$
Engine Block Heater			\$
Extended Warranty	Provide Website		\$
Hitch	Pintle		\$
Hoses	Silicone radiator & heater w/worm drive gear clamps		\$
Hourmeter	Standard engine-activated		\$
	Sweep mirrors		\$
Outfitter Switches	State		\$
Paint	Other than mfg. standard fleet paint		\$
Key Options	Cost for extra key		\$
Manuals	Service Manuals		\$
Mirrors	Phillips fender guides or equal		\$
	5" X 8" mfg. Standard outside dual mirrors		\$
Outfitter Switches			\$
	Includes extra wiring harness		\$
Paint	Flat black on hood		\$
PTO	Operable with transmission in gear		\$
Seats	Air suspension, individual bucket, vinyl, high back		\$
	2-man passenger		\$
	Cloth interior		\$
	Passenger side bucket		\$
			\$
Snow Plow Package			\$
Snow Valve			\$
Stabilizer Bar	1-1/4" front		\$
Steering Wheel	Tilt		\$
	Cruise		\$
Temporary Tag			\$
Throttle	Hand control, Locking		\$
Tires-On/Off Road; Sizes:			\$
			\$
Tow Command			\$
Tow Hooks	2 each		\$
Trailer Tow Package			\$
Transmission			\$
			\$
Wiring	Body builder harness		\$
Options Not Listed - Discount from MSRP- State Other Website For Pricing			%
OPTION DELETE FROM STANDARD			
	Air Conditioning		\$
	Power Take Off		\$
	Radio		\$
	Spare Tire		\$
	Spare Wheel		\$
	Swing out recreational mirrors		\$

Item No. 4		Type: 17,500 GVWR CAB & CHASSIS	Current Model Year	
FEATURE	DESCRIPTION	BIDDER MUST COMPLETE MFG'S CODE & DESCRIPTION	MEETS SPEC	
			Mark Yes or No Yes	No
Cab & Chassis	State make & model			
Axle-Front	Front: to meet GVW	_____	_____	_____
Axle-Rear	Rear: to meet GVW	_____	_____	_____
Battery	Heavy duty, maint. free, dual 600 CCA min.	_____	_____	_____
Brakes	Power/backing plate	_____	_____	_____
Cab	Cab "A"	_____	_____	_____
Cab to Axle	60" minimum	_____	_____	_____
Differential	Standard gear ratios selected at time of order	_____	_____	_____
Driveline	Two Wheel Drive 4X2	_____	_____	_____
Engine	Minimum 300 horsepower, gasoline, state size	_____	_____	_____
Fuel Tank	State size & location	_____	_____	_____
GVWR	15,000 LBS. min., state	_____	_____	_____
Headliner	Factory installed	_____	_____	_____
Heater/Defroster	Fresh air with multi-speed fan	_____	_____	_____
Paint	Mfg. standard - provide Website	_____	_____	_____
Payload	_____	_____	_____	_____
Power Take Off	Opening one side	_____	_____	_____
Seats	Full depth foam, vinyl	_____	_____	_____
Shocks	Heavy duty	_____	_____	_____
Suspension-Front	4,800 LB front, heavy duty	_____	_____	_____
Suspension-Rear	11,000 LB rear, heavy duty	_____	_____	_____
Tires	Steel belted radial, all season, standard for vehicle, 6 ea	_____	_____	_____
Transmission	Automatic, minimum 4 speed with overdrive	_____	_____	_____
Warranty	Provide Website	_____	_____	_____
Wheelbase	_____	_____	_____	_____
Wheels	Standard for model bid/6 each/dual rear	_____	_____	_____

Item No. 4 - TOTAL STANDARD VEHICLE, 17,500 GVWR

\$ _____

You must enter pricing in the online bid page

Alternative Fuel Options:

Alternative Fuel Package: State Fuel Option and Base Price each Net	_____
Alternative Fuel Option: Circle Applicable - (CNG, LPG, P/H/EV, E85, B20)	_____
Alternative Fuel Operation: Circle Applicable - (State Dedicated, Bi-Fuel or Flex Fuel)	_____
Gas Gallon Equivalent (State how much fuel on board)	_____
GGE Gas Gallon Equivalent - Option 1 State Tank Size	\$ _____
GGE-Gas Gallon Equivalent - Option 2 State Tank Size	\$ _____
State manufacturer and model of conversion system	_____
State Current or Pending EPA or CARB Certification No.	_____
If no cert no, please explain.	_____
OEM Supported (offeror has QVM or SVM status or equivalent: state yes or no)	_____
Drop ship code (if applicable)	_____

OPTIONAL EQUIPMENT

Air Bag	Driver	_____	\$ _____
	Passenger	_____	\$ _____
Alarm	Back up	_____	\$ _____
Ambulance Prep	State	_____	\$ _____
Battery Box Location	_____	_____	\$ _____
Brake	Anti-Lock Braking System (ABS)	_____	\$ _____
Brush Guard	Front	_____	\$ _____
Cab to Axle	_____	_____	\$ _____
	_____	_____	\$ _____
	_____	_____	\$ _____
	_____	_____	\$ _____
	_____	_____	\$ _____
	_____	_____	\$ _____
	_____	_____	\$ _____
Cab Steps	Driver only, factory	_____	\$ _____
	Both sides, factory	_____	\$ _____
Console	Overhead storage area with safety net	_____	\$ _____
Controller	Fast Idle Control (As Req'd on Diesel Auto.)	_____	\$ _____
Cabs	Cab "B"	_____	\$ _____
	Cab "C"	_____	\$ _____
	_____	_____	\$ _____

Item No. 4		Type: 17,500 GVWR CAB & CHASSIS (Continued)	Current Model Year	
FEATURE	DESCRIPTION	BIDDER MUST COMPLETE MFG'S CODE & DESCRIPTION	PRICE	
Daytime Running Lights	_____	_____	\$	_____
Diagnostic Software & Cables				
	Engine	_____	\$	_____
	_____	_____	\$	_____
	_____	_____	\$	_____
	Anti-Lock Brake/Air	_____	\$	_____
	_____	_____	\$	_____
	Anti-Lock Brake/Hydraulic	_____	\$	_____
	_____	_____	\$	_____
	Chassis Electrical System	_____	\$	_____
	_____	_____	\$	_____
	Cables	_____	\$	_____
	_____	_____	\$	_____
Driveline	Four Wheel Drive / 4X4	_____	\$	_____

Engines	List Diesel or Gas/ CYL/ Liter/ HP for each alternate:		\$
			\$
			\$
			\$
			\$
Exhaust	Vertical with turned out elbow		\$
Extended Warranty			\$
			\$
Floor Covering	Heavy duty carpeting		\$
Floor Mats	Rubber/Vinyl		\$
Fuel Tank			\$
			\$
			\$
Engine Block Heater			\$
Hitch	Pintle		\$
Hoses	Silicone radiator & heater w/worm drive gear clamps		\$
Hourmeter	Standard engine-activated		\$
Key Options	Cost for extra key		\$
			\$
Manuals	Service Manuals		\$
Mirrors	Phillips fender guides or equal		\$
	5" X 8" mfg. Standard outside dual mirrors		\$
	Sweep mirrors		\$
Outfitter Switches			\$
	Includes extra wiring harness		\$
Paint	Flat black on hood		\$

Item No. 4	Type: 17,500 GVWR CAB & CHASSIS (Continued)		Current Model Year
FEATURE	DESCRIPTION	BIDDER MUST COMPLETE MFG'S CODE & DESCRIPTION	PRICE
	<u>OPTIONAL EQUIPMENT</u>		
PTO	Operable with transmission in gear		\$
Running Boards	Full length - Driver only, factory		\$
	Full length - Both sides, factory		\$
Rust Proofing	State brand; include warranty & certificate		\$
Seats	Air suspension, individual bucket, vinyl, high back		\$
	2-Man passenger		\$
	Cloth Interior		\$
	Passenger side bucket		\$
Snow Plow Package			\$
Snow Valve			\$
Stabilizer Bar	1 1/4" front		\$
Steering Wheel	Tilt		\$
	Cruise		\$
Temporary Tag	State		\$
Throttle	Hand control, Locking		\$
Tires-On/Off Road-Sizes:			\$
			\$
Tow Command			\$
Tow Hooks	2 each		\$
Trailer Tow Package			\$

Item No. 4	Type: 17,500 GVWR CAB & CHASSIS (Continued)		Current Model Year
FEATURE	DESCRIPTION	BIDDER MUST COMPLETE MFG'S CODE & DESCRIPTION	PRICE
	<u>OPTIONAL EQUIPMENT</u>		
Transmission			\$
			\$
Wiring	Body builder harness		\$
Options Not Listed - Discount from MSRP- State Other Website For Pricing			%
	OPTION DELETE FROM STANDARD		
	Air Conditioning		\$
	Power Take Off		\$
	Radio		\$
	Spare Tire		\$
	Spare Wheel		\$
	Swing out recreational mirrors		\$

Item No. 5		Type: 21,000 GVWR CAB & CHASSIS		Current Model Year	
FEATURE	DESCRIPTION	BIDDER MUST COMPLETE		MEETS SPEC	
		MFG'S CODE	&/OR DESCRIPTION	Mark Yes or No	Yes No
Cab & Chassis	State make & model				
Air Cleaner	Required with dash-mounted restriction guage				
Alternator-State Amps	160 AMP		1816160	x	
Auxiliary Springs	4,500 LBS min total	N/A			x
Axle-Front	Front 8,000 LBS min	D800F 8K	2500881	x	
Axle-Rear	Rear 13,000 LBS min	S17-140 17K	3011049	x	
Batteries	Heavy duty, maint. free, dual 1300 CCA min.		1821220	x	
Brakes	Parking: hand braker		3485001	x	
Brakes	Service: 4-wheel hydraulic disc		2703000/3403000	x	
Brakes	ABS		3495013	x	
Bumper	Front, steel full-width		6308710	x	
Cab	Cab "A"		8024310	x	
Cab Height (inside)	54" minimum		8024310	x	
Cab to Axle	84" minimum	138 "		x	
Circuit Breakers	In lieu of standard fuses		9090845	x	
Differential	Standard gear ratios selected at time of order	TBD		x	
Electrical System	12 volt, body builders connection box/plug		1900082	x	
Engine	Minimum 175 HP, diesel, state size & torque		120202	x	
Engine Block Heater	1750 Watt 120 V		1504006	x	
Exhaust	Horizontal		1247137	x	
Frame	RBM 917,000 / PSI 80,000 / Section Modulus 11.47		6050605	x	
Fuel Tank	Step type, state size & location	45 Gal. RH under cab	7130045	x	
Fuel Water Separator	Paccar Standard Service		1321109	x	
Gauges/Indicators	Air, oil, voltmeter, engine coolant, fuel, transmission temp		8282009	x	
Governor	Adjustable max., cruising RPM		120202	x	
Grab Handles	One (1) each side		8800200	x	
GVWR	21,000 LBS. min.			x	
Heater/Defroster	Heavy Duty, fresh air with multi-speed fan		8108010	x	
Hood & Fenders	Fiberglass, tilting		8090310	x	
Hourmeter	Standard engine-activated		8282009	x	
Lights	Cab clearance, five (5)		9020164	x	
Line Set	Two (2) copies required with each truck			x	
Mirrors-Outside	West coast left & right, painted, heated	Cowl Mounted Mirrors	8862101	x	
Mirrors-Outside	16" X 7" w/6" convex mirrors		8850210	x	
Paint	Mfg. standard - provide Website	L0006 paint code		x	
Payload		11233		x	
Rims	8.25" X 22.5 min., 10 hole wheel hub pilot		5042285/5242389	x	
Seat Belts	3-point--required		8024310	x	
Seats	Full bench, all vinyl		8420191/8478330	x	
Shocks	Heavy duty front		2860004	x	
Shoulder Room	65.3" Minimum (Window to Window)		8024310	x	
Springs	8,000 LBS, Front / 13,500 LBS Rear		2860004/3626479	x	
				Yes	No
Tachometer	Rated to engine			x	
Tires-Front, Sized for Truck	2 each-steel belted radial tubeless, conventional tread		4070010	x	
Tires-Rear, Sized for Truck	4 each-steel belted radial tubeless, mud & snow		4279054	x	
Transmission	Automatic, minimum 5 speed with temp gauge	Allison 2100RDS 6-speed	2010852	x	
Warning Lights & Buzzers	For low oil pressure & high coolant temperature		8282009	x	
Warranty	Attach all manufacturer standard			x	
Wheelbase-state minimum:	162"			x	
Wheels	6 each, 8 or 10 stud		5900004	x	
Wipers	Intermittent		270	x	
Item No. 5 - TOTAL STANDARD VEHICLE, 21,000 GVWR				\$60,610.94	

Item No. 5	Type: 21,000 GVWR CAB & CHASSIS (continued)	You must enter pricing in the online bid page	
FEATURE	DESCRIPTION	BIDDER MUST COMPLETE MFG'S CODE & DESCRIPTION	Current Model Year PRICE
Alternative Fuel Options:			
Alternative Fuel Package: State Fuel Option and Base Price each Net			N/A
Alternative Fuel Option: Circle Applicable - (CNG, LPG, P/H/EV, E85, B20)			N/A
Alternative Fuel Operation: Circle Applicable - (State Dedicated, BI-Fuel or Flex Fuel)			N/A
Gas Gallon Equivalent (State how much fuel on board)			
GGE Gas Gallon Equivalent - Option 1 State Tank Size			\$
GGE-Gas Gallon Equivalent - Option 2 State Tank Size			\$
State manufacturer and model of conversion system			
State Current or Pending EPA or CARB Certification No.			
If no cert no, please exp	ISL9G available with T440 and higher models		
OEM Supported (offeror has OVM or SVM status or equivalent; state yes or no)			
Drop ship code (if applicable)			
Cab	Cab "B"	N/A	N/A
	Cab "C"	N/A	N/A
			\$
Cab Steps	Driver only, factory	Standard	included
	Both sides, factory	Standard	included
Cab to Axle	Based on customer request		TBD
Include all costs for any modifications			\$
			\$
			\$
Console	Overhead storage area with safety net	N/A	N/A
Daytime Running Lights		9090000	\$95.02
Diagnostic Software & Cables			
	Engine	TBD at time of delivery	TBD
	Transmission	TBD at time of delivery	TBD
	Anti-Lock Brake/Air	TBD at time of delivery	TBD
	Anti-Lock Brake/Hydraulic	TBD at time of delivery	TBD
	Chassis Electrical System	TBD at time of delivery	TBD
	Cables	TBD at time of delivery	TBD
Diesel Exhaust Fluid (DEF)	State size & location	LH Back of Cab	included
Drive	4 X 4	N/A	N/A
Engines	List Diesel or Gas/ CYL/ Liter/ HP for each alternate		
	PX-7 220HP 600 torque	120222	\$749.89
	PX-7 250HP 660 torque	120251	\$1,197.35
	PX-7 280HP 660 Torque	120282	\$1,512.04
	PX-7 300HP 660 Torque	120301	\$1,827.72
			\$
Exhaust	Vertical with turned out elbow	1290136	\$1,557
Extended Warranty	Provide Website		\$
			\$
			\$
Floor Mats	Rubber/vinyl	Standard	included
Fuel Tank	45 Gallon Rectangular	7135045	included
Hand Throttle	Locking type	N/A	N/A
Hoses	Silicone radiator & heater w/worm drive gear clamps	Standard	included
Hub	Oil lubricated front wheel hub	Standard	included
Key Options	Cost for extra key	Standard	included
			\$
Manuals	Service manuals	Standard	included
Mirrors	Phillips fender guides or equal	8850817	\$129.74
	Sweep mirrors	N/A	N/A
Outfitter Switches	2 spare switches wired to power	8208495	\$44.95
	Includes extra wiring harness		\$
Parking Brake Alarm		Standard	included
Paint Options	Include sample literature		\$
Pre-Trip Light Inspection		Standard	included
PTO	Operable with transmission in gear		\$
	Transmission mount	TBD at time of delivery	TBD
	Front mount	Not offered on this model	N/A
Remote Power Module	Installed by body builder	N/A	TBD
Rust Proofing	State brand; include warranty & certificate	9490645	\$179.80
Seats	Air suspension, individual bucket, vinyl, high back	Standard	included
	Passenger side bucket	8480080	(\$301.39)

Item No. 5	Type: 21,000 GVWR CAB & CHASSIS (continued)	BIDDER MUST COMPLETE	Current Model Year
FEATURE	DESCRIPTION	MFG'S CODE & DESCRIPTION	PRICE
	<u>OPTIONAL EQUIPMENT</u>		
			\$
Snow Plow Package		N/A	N/A
Snow Valve		N/A	N/A
Stationary Grill	With tilt hood	N/A	N/A
Steering Wheel	Tilt	8201200	\$327.95
	Cruise	N/A	N/A
Temporary Tag		Standard	included
Theft Deterrent System	Local option		TBD
Tires-state alternate sizes			\$
			\$
			\$
Tow Command	Provided by body builder		TBD
Tow Hooks	2 each	6321005	\$148.13
Trailer Tow Package			\$
Transmission	Allison 2500RDS	2010860	\$70.50
	Allison 2200RDS	2010862	\$336.11
			\$
			\$
Wiring	Body builder harness	Standard	included
Options Not Listed - Discount from MSRP- State Other Website For Pricing			%
OPTION DELETE FROM STANDARD			
	Air Conditioning	8104004	(\$128.74)
	Dash mounted air restriction gauge	N/A	N/A
	Engine block heater	1504006	(\$64.38)
	Fuel/water separator	N/A	N/A
	Radio, AM/FM	8601420	(\$158)
	Spare Tire	N/A	N/A
	Spare Wheel	N/A	N/A
	Tow hooks	6321005	(\$148.13)

Item No. 6		Type: 29,000 GVWR CAB & CHASSIS	Current Model Year	
FEATURE	DESCRIPTION	BIDDER MUST COMPLETE MFG'S CODE & DESCRIPTION	MEETS SPEC	
			Mark Yes or No Yes	No
Cab & Chassis	State make & model			
Air Brake Dryer	Wabco spin-on, heated, or equal; state brand	9101215	x	
Air Cleaner	Required, with dash-mounted restriction gauge	1031130	x	
Alternator-state minimum	160 amp	1816260	x	
Auxiliary Springs	2,250 LB each, min.			x
Axle-Front	10,000 LB min.	E-1002IL 12K 2501010	x	
Axle-Rear	19,000 LB min.	S20-140 20k 3031000	x	
Battery	Maint. free, 1600 CCA min., state	1821225	x	
Brakes	Parking: spring brake	3485009	x	
Brakes	Service: air	2701000/3401001	x	
Brakes	Backing plate	3490047	x	
Bumper	Extra heavy duty front, swept back with extension	6308710	x	
Cab	Cab "A"	8024310	x	
Cab Height (Inside)	54" Minimum	8024310	x	
Cab to Axle	84" min.		x	
Circuit Breakers	In lieu of standard fuses	9090845	x	
Compressor	13.2 CFM	18.7 CFM 1002060	x	
Cooling System	Increased to accommodate front mount PTO	1121200	x	
Differential	Standard gear ratios selected at time of order		x	
Drainage	Automatic moisture ejectors		x	
Electrical Systems	12 volt, body builders connection box/plug	1900082	x	
Engine	Diesel, minimum 210 HP, state size & torque	220 HP, PX-7, 520 ft/lbs 0120221	x	
Engine Block Heater	1750 watt 120v	1504006	x	
Exhaust	Horizontal	1247137	x	
Frame	RBM 1,700,000	1,776,000 RBM 6054630	x	
	Modulus: 14.81 cubic in		x	
	PSI: 120,000 psi		x	
Fuel Tank	Step type, state size & location	56 gal RH under cab 7010056	x	
Fuel Water Sep.	Required with in-line, heater	1321109	x	
Gauges/Indicators	Air, oil, voltmeter, engine coolant, fuel, transmission temp	8282009	x	
Governor	Adjustable max. cruising RPM	120221	x	
Grab Handles-Outside	One (1) each side of truck	8800200	x	
GVWR	29,000 LB min.	30,000	x	
Heater/Defroster	45,000 btu	8108010	x	
Hood & Fenders	Fiberglass, tilting	8090310	x	
Hourmeter	Standard engine-activated	8282009	x	
Lights	Cab clearance, five (5)	9020164	x	
Line Set	Two (2) copies required with each truck		x	
Mirrors-Outside	West coast left & right, painted, heated	Cowl mounted for driver safety 8867200	x	
Mirrors-Outside	16" X 7" w/6" convex mirrors	8850210	x	
Paint	Mfg. standard - Website	L0006 paint code	x	
Payload	19530		x	
Power Take Off	Not available			x
Seat Belts	3 point, required	8024310	x	
Seats	Driver: Air suspension, individual bucket, vinyl, Bostrom or National, high back; Passenger: Non-suspension individual bucket, vinyl	8410191 8480180	x x	
Shocks	Heavy duty front	2863015	x	
Shoulder Room	65.3" Minimum (Window to Window)	8024310	x	
Slack Adjusters	Automatic, front & rear	2701000/3401001	x	
Springs	Standard for model bid	2863015	x	
Suspension	Reyco 79KB taperleaf 20K	3626479	x	
Tachometer	Rated to engine	8282009	x	
Tires-Front, Sized for Truck	2 each-steel belted radial tubeless, conventional tread	4079054	x	
Tires-Rear, Sized for Truck	4 each-steel belted radial tubeless, mud & snow	4279054	x	
Tow Hooks	Frame mounted, 2 each	6321005	x	
Transmission	Automatic, minimum 5 speed with temp gauge	Allison 2500RDS 6-speed 2010860	x	
Warning Lights & Buzzers	For low oil pressure & high coolant temperature includes automatic shutdown system	8282009	x	
Item No. 6		Type: 29,000 GVWR CAB & CHASSIS (Continued)		Current Model Year
FEATURE	DESCRIPTION	BIDDER MUST COMPLETE MFG'S CODE & DESCRIPTION	MEETS SPEC Mark Yes or No	
Warranty	Provide Website		x	
Wheelbase	162		x	
Wheels	8.25 x 22.5 disc wheels, 6 each	5242389/5042285	x	
Item No. 6 - TOTAL STANDARD VEHICLE, 29,000 GVWR			\$60,541.26	

You must enter pricing in the online bid page

Alternative Fuel Options:			
Alternative Fuel Package: State Fuel Option and Base Price each Net			
Alternative Fuel Option: Circle Applicable - (CNG, LPG, P/H/EV, E85, B20)			
Alternative Fuel Operation: Circle Applicable - (State Dedicated, Bi-Fuel or Flex Fuel)			
Gas Gallon Equivalent (State how much fuel on board)			
GGE Gas Gallon Equivalent - Option 1 State Tank Size			\$
GGE-Gas Gallon Equivalent - Option 2 State Tank Size			\$
State manufacturer and model of conversion system			
State Current or Pending EPA or CARB Certification No.			
If no cert no, please exp		ISL9G available with T440 and higher models	
OEM Supported (offeror has QVM or SVM status or equivalent; state yes or no)			
Drop ship code (if applicable)			
Brakes	Bendix 4 channel ABS	standard	included
	Air Disc Brake Option		\$
Brush Guard	Front bumper	Local Option	TBD
Cab	Cab "B"	N/A	N/A
	Cab "C"	N/A	N/A
			\$
Cab Steps	Driver only, factory	Standard	included
	Both sides, factory	Standard	included
Cab to Axle	94"		\$0
	Include all costs for any modifications	108" cab to axle 176" wheelbase	\$95.03
		138" cab to axle 206" wheelbase	\$501
		186" cab to axle 284" wheelbase	\$697.94
			\$
			\$
			\$
			\$
Console	Under dash w/ 2 cup holders	8700083	\$50.08
Daytime Running Lights		9090000	\$95.03
Diagnostic Software & Cables			
Engine	TBD at time of delivery		TBD
Transmission	TBD at time of delivery		TBD
Anti-Lock Brake/Air	TBD at time of delivery		TBD
Anti-Lock Brake/Hydraulic	TBD at time of delivery		TBD
Chassis Electrical System	TBD at time of delivery		TBD
Cables	TBD at time of delivery		TBD
Diesel Exhaust Fluid (DEF)	State size & location	11 Gal LH frame rail	included
Engines	List Diesel or Gas/ CYL/ Liter/ HP for each alternate		
	Diesel PX-7 250hp	120251	\$861.45
	Diesel PX-7 300hp	120301	\$1,486.83
			\$
			\$
Exhaust	Vertical with turn out elbow	1290136	\$1,557
Extended Warranty	Various per customer request		TBD
			\$
			\$
			\$
			\$
Floor Mats	Rubber/Vinyl	standard	included
Fuel Tank	Dual step frame mounted, 50 gal.	standard	\$0
Horns	Dual air	8841618	\$145.10
Hoses	Silicone cooling system hoses w/worm drive gear clamps	standard	included
Key Options	Cost for extra key	standard	included
			\$
Locking Differential	Driver control lock option	N/A	N/A
	Limited slip option	N/A	N/A
Manuals	Service manuals	Included	\$
Mirrors	Phillips Fender Guides	8850817	\$127.74
	Sweep mirror	N/A	N/A
Moisture Ejectors	Pull chain type	9108001	\$13
Outfitter Switches	2 dash mounted switches wired to power	8208495	\$43.95
	Includes extra wiring harness		\$
Paint	Flat black on hood	9960075	\$837.94
Paint	Provide Website		\$
Parking Brake Alarm		Standard	included
Plow Lights (Snow)	Factory installed	N/A	N/A

Item No. 6	Type: 29,000 GVWR CAB & CHASSIS (Continued)	Current Model Year	
FEATURE	DESCRIPTION	BIDDER MUST COMPLETE	
		MFG'S CODE & DESCRIPTION	PRICE
<u>OPTIONAL EQUIPMENT</u>			
Pre-Trip Light Inspection		standard	included
Remote Power Module	Installed by body builder		TBD
Rust Proofing	State brand; include warranty & certificate	9490645	\$177.80
Seals	Oil lubricated front wheel seals	Standard	included
Seats	Air suspension driver, indiv bucket, vinyl, high back	Standard	\$
	2-Man passenger	Bench seat	\$267.74
	Cloth Interior		(\$23.50)
	Passenger side bucket	Standard	included
Service Hatches	Two, for use with tilt hood	N/A	N/A
Snow Plow Package	Not offered with T370	N/A	N/A
Snow Valve	Not offered with T370	N/A	N/A

Item No. 6	Type: 29,000 GVWR CAB & CHASSIS (Continued)	Current Model Year	
FEATURE	DESCRIPTION	BIDDER MUST COMPLETE	
		MFG'S CODE & DESCRIPTION	PRICE
<u>OPTIONAL EQUIPMENT</u>			
Springs	Front: 12,000 LB	Standard	included
	Rear: 23,000 LB capacity for use w/19,000 LB rear axle		\$325.99
Stationary Grill	For snowplow applications, with tilting hood	N/A	N/A
Steering Wheel	Tilt	Standard	included
	Cruise	N/A Dash mounted	N/A
Storage	Overhead storage area with safety net	N/A	N/A
Temporary Tag		Standard	included
Theft Deterrent System		Local Option	TBD
Tires	255/70 R22.5, 14 ply	N/A	N/A
Tow Command	Installed by body builder		TBD
Tow Hooks	2 each	Standard	included
Trailer Tow Package		N/A	N/A
Transmissions	Allison 3000RDS	2011205	\$3,378
	Allison 3500RDS	2011232	\$3,378
			\$
			\$
Wiring	Body builder harness	Standard	included
Options Not Listed - Discount from MSRP- State Other Website For Pricing			
OPTION DELETE FROM STANDARD			
	Air brake dryer	N/A	N/A
	Air brakes	N/A	N/A
	Air Conditioning	8104004	(\$127.74)
	Automatic moisture ejectors	9102040	(\$152.26)
	Dash mounted air restriction gauge	8220106	(\$68.48)
	Engine block heater	1504006	(\$63.37)
	Front mounted PTO	N/A	N/A
	Fuel water separator	N/A	N/A
	Standard engine-activated	N/A	N/A
	Radio, AM/FM		(\$158)
	Seats, passenger: non-suspension, individual bucket	8489979	(\$195.19)
	Spare Tire	N/A	N/A
	Spare Wheel	N/A	N/A
	Tow hooks		(\$148.13)

Item No. 7		Type: 34,000 GVWR CAB & CHASSIS		Current Model Year	
FEATURE	DESCRIPTION	BIDDER MUST COMPLETE		MEETS SPEC	
		MFG'S CODE & DESCRIPTION		Mark Yes or No	
				Yes	No
Cab & Chassis	Bidder must state make & model				
Air Brake Dryer	Wabco spin-on, heated, or equal		9101215	x	
Air Cleaner	With dash-mounted restriction gauge		1051092	x	
Alternator-State Minimum	160 Amp brush type		1816260	x	
Axles-Front	14,000 LBS.	MFS14 14.6K	2513014	x	
Axles-Rear	23,000 LBS single speed	R23-160 23K	3042160	x	
Batteries	Maint. free, 1600 CCA min., dual		1821225	x	
Battery Terminals	External jump start		1900996	x	
Brakes-Backing Plate	Backing Plate		2659047/3490047	x	
Brakes-Front	Front: 16.5" X 5"		2690002	x	
Brakes-Parking	Parking: spring set		3485009	x	
Brakes-Rear	Rear: 16 1/2" X 7"		3330004	x	
Brakes-Service	Service: Air			x	
Cab	Cab "A"		8024310	x	
Cab Height (Inside)	54" Minimum		8024310	x	
Cab to Axle	96" for 12' dump body	96"		x	
Compressor	13.2 CFM	18.7 CFM	1002060	x	
Differential	Gear ratio to be selected at time of order.			x	
Drainage	Automatic moisture ejectors		9102009	x	
Electrical Systems	12 volt, body builders connection box/plug		1900082	x	
Engine	Diesel turbo charged-state HP, torque, cylinders, size		129461	x	
	PX-9 260 HP 720 TORQUE				
Engine Block Heater	1750 Watt 120 Volt		1504006	x	
Exhaust	Vertical pipe with horizontal muffler		1247166	x	
Frame-RBM 2,000,000 min.		2,132,000	6056400	x	
Frame-PSI		120,000			
Frame-Section Modulus		17.8			
Extension	Bumper and frame extension 20"		6390033	x	
Fuel Tank	Step type, state size & location	75 Gallon RH BOC	7014075	x	
Fuel Water Sep.	Required with in-line heater		1321145	x	
Gauges/Indicators	Air, oil, voltmeter, engine coolant, fuel, transmission temp		8282009	x	
Governor	Adjustable max. cruising RPM		129461	x	
Grab Handles-Outside	One (1) on each side of cab		8002200	x	
Grill	Fixed		8090410	x	
GVWR	34,000 LB, min.		37000 GVWR	x	
Hand Electronic Throttle	Required with cruise			x	
Hood & Fenders	Tilt hood and fender		8090410	x	
Horn	Single air		8841411	x	
Hourmeter	Standard engine-activated			x	
Lights	Cab clearance, five (5)		9022135	x	
Line Set	Two (2) copies required with each truck			x	
Mirrors	Outside: dual west coast, painted,		Cowl mounted for driver safety 8866100	x	
	Heated aluminum (outside)		8866100	x	
	16" X 7" retractable		8866100	x	
Oil filter	2 each, 1 quart min.			x	
Paint	Mfg. standard - provide Website	L0006	9700000	x	
Payload		23,538		x	
Power Take Off	Front crank shaft mounted		2429038	x	
Radio	AM/FM, factory installed		8601420	x	
Seat	Driver: air suspension, individual		8410191	x	
	bucket, vinyl, Bostrom or National high back, state:				
	Passenger: non-suspension, individual bucket, vinyl		8480180	x	
Seat Belts	3 point, required			x	
Shocks	Required front		2864019	x	
Shoulder Room	65.2" Min. (Window to Window)		8024310	x	
Slack Adjuster	Automatic front & rear		2765001/3465001	x	
Springs	Rated each at ground				
	Front: 14,000 LBS	14.6K	2864019	x	
	Rear: 23,000 LBS main with 4,500 LB aux.	23K	3636480	x	
Item No. 7	Type: 34,000 GVWR CAB & CHASSIS (Continued)	BIDDER MUST COMPLETE	Current Model Year		
FEATURE	DESCRIPTION	MFG'S CODE & DESCRIPTION	PRICE		
Tachometer	Rated to engine			x	
Tires	Tubeless, steel belted radial			x	
Tires: Front	Highway tread, 12R22.5, 16 ply	Goodyear Endurance RSA 12R22.5 16		x	
Tires: Rear	All terrain, 12R22.5, 16 ply	Michelin XDN2 12R22.5 16 ply		x	
Transmission	Automatic, minimum 5 speed with temp gauge	3000RDS 6-Speed	2011205	x	
Warning Lights & Buzzers	For low oil pressure & high coolant temperature includes automatic shutdown system		8282009	x	
Warranty	Attach all manufacturer standard				
Wheelbase-Specify	163"			x	
Wheels	8.25 X 22.5 Hub pilot, 10 hole disc, white (For axle changes, include tires & wheels to achieve minimum rating.)		5042285	x	
				\$	
				\$	
Item No. 7 - TOTAL STANDARD 34,000 GVWR VEHICLE				\$77,538	

You must enter pricing in the online bid page

Alternative Fuel Options:		TBD
Alternative Fuel Package: State Fuel Option and Base Price each Net		CNG
Alternative Fuel Option: Circle Applicable - (CNG, LPG, P/H/EV, E85, B20)		Dedicated
Alternative Fuel Operation: Circle Applicable - (State Dedicated, Bi-Fuel or Flex Fuel)		
Gas Gallon Equivalent (State how much fuel on board)		TBD
GGE Gas Gallon Equivalent - Option 1 State Tank Size		TBD
GGE-Gas Gallon Equivalent - Option 2 State Tank Size		
State manufacturer and model of conversion system		
State Current or Pending EPA or CARB Certification No.		
If no cert no, please exp	CNG Systems to be quoted on individual bases	
OEM Supported (offeror has QVM or SVM status or equivalent; state yes or no)		
Drop ship code (if applicable)		9400073

Back-Up Alarm	Electric Back Up Alarm	9090126	\$70.67
Battery Box Location	LH Under Cab	6409901	\$
Brakes (Trailer)	With tractor protection valve	9110020	\$320.56
Disc Air Brake Option	Bendix Air Disc Brakes		\$2,466.15
			\$
Cab	Cab "B"	N/A	N/A
	Cab "C"	N/A	N/A
	Low Entry Cab	N/A	N/A
			\$
Cab Steps	Driver only, factory	Standard	\$Included
	Both sides, factory	Standard	\$Included
Diesel Exhaust Fluid (DEF)	State size & location	LH Back of Cab 7889604	\$Included
Cab To Axle	96"		\$Included
			\$
			\$
			\$
			\$
Console	Under Dash	8700108	\$Included
Daytime Running Lights		9090000	\$77.83

Diagnostic Software & Cables			
Engine	TBD at chassis delivery		\$TBD
Transmission			\$
Anti-Lock Brake/Air			\$
Anti-Lock Brake/Hydraulic			\$
Chassis Electrical System			\$
Cables			\$
Engine Cover	List other available		\$

Item No. 7 Type: 34,000 GVWR CAB & CHASSIS (Continued) Current Model Year

FEATURE	DESCRIPTION	BIDDER MUST COMPLETE MFG'S CODE & DESCRIPTION	PRICE
OPTIONAL EQUIPMENT			
Engines	List Diesel or Gas/ CYL/ Liter/ HP for each alternate		
	PX-9 300HP 860 Torque	129502	\$1,173.68
	PX-9 350HP 1150 Torque	129546	\$2,342.45
	PX-9 370HP 1250 Torque	129569	\$4,435.61
	Higher Horse Power May Require Transmission Change		\$
			\$
Extended Warranty	Various per customer request		\$TBD
Floor Mats	Rubber/Vinyl	Standard	\$Included
Fuel Tank	75 Gallon RH Back of Cab	7014075	\$Included
Hoses	Silicone cooling system hoses w/worm drive gear clamps	Standard	\$Included
Key Options	Cost for extra key	Standard	\$Included
Manuals	Service manuals	Standard	\$Included
Mirrors	Phillips Fender Guides		
Moisture Ejectors	Pull chain type	Standard	\$Included
Outfitter Switches	Plow Lights	9090058	\$102.42
	Includes extra wiring harness		\$
Paint	Flat black on hood	9960075	\$875.65
			\$
Parking Brake Alarm			\$N/A
Pre-Trip Light Inspection		Standard	\$
Plow Lights (Snow)	Factory installed	Body Builder Installed	\$
Remote Power Module			\$
Rust Proofing	State brand; include warranty & certificate	Zinc phosphate 9490645	\$273.00
Seals	Front oil lubricated wheel seals	Standard	Included
Seats	Air suspension driver, indiv. bucket, vinyl, high back	Standard	\$Included
	2-Man passenger	8478330	\$237
	Cloth Interior	8410091	(\$105.50)
	Passenger side bucket	Standard	\$Included
Service Hatches	Service hatches in hood		\$N/A
Snow Plow Package	Switch and wiring for plow	9090058	\$Included
Snow Valve	Inside/outside air intake	1093108	\$248.86
Steering Wheel	Tilt	8201200	\$189.46
	Cruise	Includes tilt steering column 8201041	\$1,681.45
Storage	Overhead storage area with safety net		\$N/A
Temporary Tag			\$Included
Theft Deterrent System		Local Option	TBD
Tires	11R22.5, 16 ply	4238851	\$42

Item No. 7 Type: 34,000 GVWR CAB & CHASSIS (Continued) Current Model Year

FEATURE	DESCRIPTION	BIDDER MUST COMPLETE MFG'S CODE & DESCRIPTION	PRICE
	Michelin -- Chip Resistant		\$

Tow Command	Installed by body builder		TBD
Tow Hooks	2 each	Standard	\$Included
Trailer Tow Package		N/A	N/A
Transmission	4000RDS 6-speed	2016154	\$6,407.10
	4500RDS 6-speed	2016158	\$7,057.45
			\$
Winter Fronts	Radiator winter front T-470	1160105	\$59.40
Wiring	Body builder harness		\$Included

Options Not Listed - Discount from MSRP- State Other Website For Pricing %

Item No. 7 Type: 34,000 GVWR CAB & CHASSIS (Continued) Current Model Year

FEATURE	DESCRIPTION	BIDDER MUST COMPLETE	
		MFG'S CODE & DESCRIPTION	PRICE
	OPTIONAL EQUIPMENT		
	OPTION DELETE FROM STANDARD		
	Air Brake Dryer	N/A	\$N/A
	Air horn	N/A	\$N/A
	Automatic moisture ejectors	9108001	(\$60.42)
	Bumper, 1/4" min., front	N/A	N/A
	Compressor	N/A	N/A
	Dash-mounted air restriction gauge	8220106	(\$67.60)
	Engine shutdown	N/A	N/A
	Front mounted PTO	2429038	(\$186.39)
	Engine block heater	1504006	(\$60.44)
	Muffler, horizontal	1247173	\$1,183.92
	Radio, AM/FM	8601420	(\$170.03)
	Spare Tire	N/A	N/A
	Spare Wheel	N/A	N/A

Item No. 8		Type: 56,000 GVWR CAB & CHASSIS		Current Model Year	
FEATURE	DESCRIPTION	BIDDER MUST COMPLETE		MEETS SPEC	
		MFG'S CODE & DESCRIPTION		Mark Yes or No	
				Yes	No
Cab & Chassis	State make & model				
Air Brake Dryer	Wabco spin-on, heated, or equal		9101215	x	
Air Cleaner	Required, with dash-mounted restriction gauge		1051092	x	
Alternator	160 Amp		1816260	x	
Auxiliary Outlet	12 volt, Factory installed		8700108	x	
Axles-Front	16,000 LB	MFS20 20K	2517020	x	
Axles-Rear	40,000 LB	MT40-14X3 Hypoid 40K	3122245	x	
Batteries	Maint. free, dual batteries, 1600 CCA min		1821225	x	
Brakes	Parking: spring brake, both rear axles		3485209	x	
	Service: air, 13.2 cu.ft. air compressor	18.7 CFM	1002060	x	
	Rear: drum, 16 1/2" X 7" min.		3392005	x	
	Backing Plate		2659047/3490047	x	
Bumper	Front		6302460	x	
Cab	Cab "A"		8024310	x	
Cab Height (Inside)	54" Minimum		8024310	x	
Cab To Axle	120" min.			x	
Differential	Gear ratio to be selected at time of order.			x	
Drainage	Automatic moisture ejectors		9102040	x	
Electrical Systems	12 volt, body builders connection box/plug		1900082	x	
Engine	Diesel turbo charged-state HP, torque, cylinders, size		129461	x	
	PX-9 260 HP 720 Torque				
Engine Block Heater	Minimum 1,000 watt	1750 Watt 120V	1504006	x	
Frame	RBM: 2,500,000 min.	2,925,000 RBM		x	
	PSI: 120,000	120,000 PSI		x	
	Section Modulus	14.80 cu in		x	
Fuel Tank	Step type, state size & location	75 Gal RH Under Cab	7014075	x	
Fuel Water Sep.	In-line heater		1321145	x	
Gauges/Indicators	Air, oil, voltmeter, engine coolant, fuel, transmission temp		8282009	x	
Grab Handles-Outside	One (1) on each side		8800200	x	
GVWR	56,000 LB min.		56,000	x	
Hand Throttle	Required			x	
Hood & Fenders	Tilting		8090310	x	
Hourmeter	Standard engine-activated		8282009	x	
Lights	Cab clearance, minimum five (5)		9020164	x	
Line Set	Two (2) copies required with each truck			x	
Mirrors-Outside	Heated, left & right, painted, west coast type, 16" X 7" min.	Cowl mounted for driver safety	8866100	x	
Oil Filter	2 quart capacity minimum			x	
Paint	Mfg. standard - provide Website	L0006 paint code	9700000	x	
Payload			39,479	x	
Power Take Off	Required opening right side		2429101	x	
Rims-Front	22.5 X 9.00 wide base (front)		5042311	x	
Rims-Rear	22.5 X 8.25 wide base (rear)		5242285	x	
Seals	Front wheel seals oil lubricated			x	
Seats-Driver	Air suspension, individual bucket, vinyl, high back		8410191	x	
Seats-Passenger	Single non-suspension, vinyl, 2-passenger		8480180	x	
Shocks	Heavy duty front		2864016	x	
Shoulder Room	65.2" minimum (window to window)	68" cab interior		x	
Slack Adjusters	Automatic, front & rear		2765001/3465002	x	
Spare Tire	Same as tires	N/A			
Spare Wheel	Same as wheels	N/A			
Springs-Front	Min. 16,000 LB capacity-rated each at ground		2864016	x	
Springs-Rear	Min. 40,000 LB capacity-rated each at ground		3736418	x	
Steering	Power		2893881	x	
Sun Visors	Dual		8024310	x	
Suspension	Tandem Reyco 102 40K		3736418	x	
Tachometer	Required			x	
Tires-Front	(2) conventional tread, steel belted radial		4038677	x	
Tires-Rear	(8) all terrain tread, steel belted radial		4230019	x	
Tow Hooks	Installed front to frame rails		6321005	x	
Transmission	Automatic, min 5 speed with temp gauge	3000RDS 6-speed	2011205	x	
Item No. 8	Type: 56,000 GVWR CAB & CHASSIS (continued)				
FEATURE	DESCRIPTION	BIDDER MUST COMPLETE		Current Model Year	
		MFG'S CODE & DESCRIPTION		MEETS SPEC	
				Mark	Yes or No
Warning Lights & Buzzers	For low oil pressure & high coolant temperature includes automatic shutdown system		8282009	x	
Warranty	Provide Website				
Wheelbase	187"			x	
Wheels	8.25 x 22.5 Hub pilot, 10 hole disc, white		5853906	x	
Item No. 8 - TOTAL STANDARD VEHICLE 56,000 GVWR				\$89,473.16	

You must enter pricing in the online bid page

Alternative Fuel Options:			
Alternative Fuel Package: State Fuel Option and Base Price each Net			TBD
Alternative Fuel Option: Circle Applicable - (CNG, LPG, P/H/EV, E85, B20)			CNG
Alternative Fuel Operation: Circle Applicable - (State Dedicated, Bi-Fuel or Flex Fuel)			Dedicated
Gas Gallon Equivalent (State how much fuel on board)			
GGE Gas Gallon Equivalent - Option 1 State Tank Size			\$
GGE-Gas Gallon Equivalent - Option 2 State Tank Size			\$
State manufacturer and model of conversion system			
State Current or Pending EPA or CARB Certification No.			
If no cert no, please exp	CNG systems to be quoted on individual bases		
OEM Supported (offeror has QVM or SVM status or equivalent; state yes or no)			
Drop ship code (if applicable)			9400073
Axle (Rear)	34,000 LB with 34,000 LB springs	3726405	(\$20.30)
Back Up Alarm	Electric Back Up Alarm	9090126	\$73.69
Battery Box Location	LH side	6409901	Included
Brakes	Disc Air Brake	2703021	\$216.71
Brush Guard	Front	TBD at delivery	TBD
Bumper	Front, 1/4" min.	6308710	included
Cab	Cab "B"	N/A	N/A
	Cab "C"	N/A	N/A
	Low Entry Cab	N/A	N/A
			\$
Cab Steps	Driver only, factory	Included	Included
	Both sides, factory	Included	Included
Cab To Axle	120"		\$
			\$
			\$
			\$
			\$
Circuit Breakers	In lieu of standard fuses	9090845	\$36
Console	Under dash with 2 cup holders and 12v outlet	8700083	Included
Daytime Running Lights		9090000	\$79.84
Diesel Exhaust Fluid (DEF)	State size & location	11 Gal LH Back of Cab 7722011	Included
Diagnostic Software & Cables	Engine	TBD at time of delivery	TBD
			\$
			\$
			\$
			\$
Transmission	TBD at time of delivery		TBD
			\$
Anti-Lock Brake/Air	TBD at time of delivery		TBD
			\$
Anti-Lock Brake/Hydraulic	TBD at time of delivery		TBD
			\$
Chassis Electrical System	TBD at time of delivery		TBD
			\$
Cables	TBD at time of delivery		TBD
			\$
Engines	List Diesel or Gas/ CYL/ Liter/ HP for each alternate		
Prices must include cost	PX-9 300 hp 860 Torque	129502	\$1,255.78
for tires, suspension,	PX-9 350 HP 1150 Torque	129546	\$2,196.34
changeover, etc.	PX-9 370 HP 1250 Torque	129569	\$4,774.41
			\$
			\$
Exhaust	Vertical w/guard	Standard	included
Item No. 8	Type: 56,000 GVWR CAB & CHASSIS (continued)		Current Model Year
FEATURE	DESCRIPTION	BIDDER MUST COMPLETE MFG'S CODE & DESCRIPTION	PRICE
	<u>OPTIONAL EQUIPMENT</u>		
Extended Warranty	TBD at time of delivery		TBD
			\$
			\$
			\$
			\$
Floor Mats	Rubber/Vinyl	Standard	included
Frame	Double Channel, min., 25 S.M.	6054400/6289325	included
Fuel Tanks	100 Gallon RH Under Cab wheel base extends to 189	7010100	\$5.00
	120 Gallon RH under Cab wheel base extends to 201	7010120	\$68.59
Hoses	Silicone cooling system w/worm drive gear clamps	Standard	included
Key Options	Cost for extra key	Standard	included
	5 sets of keys	8203060	\$16.35
Manuals	Service manuals	Standard	included
Mirrors	Phillips Fender Guides	8850817	\$108.50
	Sweep mirror	Standard	included
Outfitter Switches	Two Spare switches wired to power	8208495	\$45.05
	Includes extra wiring harness		\$
Paint	Flat black on hood	9960075	\$966.15
			\$
Power Take Off	Installed in front of radiator PTO adapter plate on engine shaft to include 18" frame extension with swept back and front bumper		\$478.97

Item No. 8	Type: 56,000 GVWR CAB & CHASSIS (continued)	Current Model Year	
FEATURE	DESCRIPTION <u>OPTIONAL EQUIPMENT</u>	BIDDER MUST COMPLETE	PRICE
		MFG'S CODE & DESCRIPTION	
Parking Brake Alarm		N/A	N/A
Pre-Trip Light Inspection		Standard	included
Plow Light (Snow) Wiring	Factory installed	9058030	576.22
Radiator Grill	Stationary	Upgrade truck to T470	478.97
Remote Power Module	Body builder installed		TBD
Rust Proofing	State brand; include warranty & certificate	Zinc phosphate paint	\$359.25
Seats	Air suspension driver, indiv bucket, vinyl, high back	Standard	included
	2-Man passenger	8478330	\$248.68
	Cloth Interior	8411091	(\$106.46)
	Passenger side bucket	Standard	included
			\$
			\$
Service Hatch	Two (2) for use with tilt hood	N/A	N/A
Snow Plow Package	Switch and wiring for plow	9090058	388.92
Snow Valve	Inside out air intake package	1093108	1543.47
Steering Wheel	Tilt	8201200	\$199.57
	Cruise	8201041	\$1,811.52
Storage	Overhead storage area with safety net	N/A	N/A
Tag Axle	Air up, air down capacity	3818025	\$8,623.64
	Include tires & wheels; state sizes:	3818025	\$
	22.5x8.25 7400lbs wheel	5784289	\$
Temporary Tag			included
Theft Deterrent System	Local Option		TBD
Tow Command	Provided by Body Builder		TBD
Tow Hooks	2 each	Standard	included
Trailer Tow Package	Provided by Body Builder		TBD
Transmission Alternates	4000RDS 6-speed	2016154	\$7,438.47
	4500RDS 6-speed	2016158	\$8,373.90
			\$
Wiring	Body builder harness	Standard	included
Options Not Listed - Discount from MSRP- State Other Website For Pricing			%

Item No. 9		Type: 66,000 GVWR CAB & CHASSIS	Current Model Year	
FEATURE	DESCRIPTION	BIDDER MUST COMPLETE MFG'S CODE & DESCRIPTION	MEETS SPEC	
			Mark Yes or No	Yes No
Cab & Chassis	Cab & chassis conventional 6x4			
Air brake dryer	Wabco spin-on, heated, or equal-State:	9101215	x	
Air Cleaner	Required with dash mounted restriction gauge	8220106	x	
Air conditioning	Factory installed	8108010	x	
Alternator	160 Amp	1816260	x	
Arm rests	Right & left sides	8410191	x	
Auxiliary Outlet	12 volt, Factory installed	8700108	x	
Axles-Front	Min: 20,000 LB	MFS20 20K 2517020	x	
Axles-Rear	Min: 46,000 LB	RT46-160 46K 3142160	x	
Batteries	Maintenance free, three batteries, 1950 CCA min.	1821210	x	
Brakes	Parking: Spring brake, both rear axles	3485209	x	
	Service: Air. 13.2 CFM air compressor	18.7 CFM 1002060	x	
	Rear: Drum, 16 1/2" x 7" min.	3392005	x	
	Backing Plate	3490047	x	
Bumper	Front	6319050	x	
Cab	Cab "A"	8024310	x	
Cab Height (Inside)	54" Minimum	8024310	x	
Cab to axle	120"		x	
Cooling system	Heavy duty, increase cooling	1122505	x	
Differential	Gear ratio to be selected at time of order.		x	
Drainage	Automatic, moisture ejector	9102009	x	
Electrical Systems	12 volt, body builders connection box/plug	8700108	x	
Engine	Diesel electronic controlled-state HP, torque, cylinders, size	129461	x	
	PX-9 260 HP 720 Torque			
Engine Block Heater	Min 1,500 watt	1504006	x	
Floor covering	Heavy duty, vinyl/rubber	8024310	x	
Frame	RBM: 3,000,000 min. State:	3,281,000	x	
Frame	PSI: State:	120,000	x	
Frame	Full "C" reinforced high tensile steel	6289325	x	
Fuel Tank	Step type, state size & location	56 Gallon RH BOC 7014056	x	
Fuel Water Sep	In-line heater	1321145	x	
Gauges/Indicators	Air, oil, voltmeter, engine coolant, fuel, transmission temp	8282009	x	
Glass	Tinted, all windows	N/A		x
Grab Handles-Outside	One (1) each side	8800200	x	
GVWR	66,000		x	
Hand throttle	Electronic		x	
Hood & Fenders	Tilting	8090450	x	
Hourmeter	Standard engine-activated		x	
Lights	Cab clearance five (5) min.	9020164	x	
Line set	Two (2) copies required with each truck		x	
Mirrors-Outside	Heated, left & right, painted, west coast type, 16" X 7" min.	Cowl mounted for driver safety 8867200	x	
Oil Filter	Two (2) quart capacity min.		x	
Paint	Manufacturer standard. Provide color chart	L0006 White 9700000	x	
Payload	47,997		x	
Power take off	Required opening right side	2429101	x	
Radio	AM/FM, factory installed	8601420	x	
Transmission	Automatic, minimum 5 speed with temp gauge	3000RDS 6-Speed 2011205	x	
Item No. 9	Type: 66,000 GVWR CAB & CHASSIS (continued)			
				Current Model Year
				MEETS SPEC
				Mark Yes or No
				Yes No
Rims-Front	22.5 x 13.00 Wide Base	8014590	x	
Rims-Rear	22.5 x 8.25 Wide Base	5242258	x	
Seals	Front wheel seals oil lubricated	Standard	x	
Seats-Driver	Air suspension, individual bucket, vinyl, high back	8410191	x	
Seats-Passenger	Single non-suspension, vinyl, 2-passenger	8480180	x	
Shoulder Room	67.5" Minimum (Window to Window)	68"	x	
Spare Tire	Same as Tires			x
Spare Wheel	Same as Wheels			x
Springs-Front	Min 20,000 LB capacity-rated at ground	2866020	x	
Springs-Rear	Min 46,000 LB capacity-rated at ground	3747460	x	
Steering	Power	2895202	x	
Sun visors	Dual	Standard	x	
Suspension	RT463 46K	3747460	x	
Tachometer	Required	Standard	x	
Tires-Front	Two (2) steel belted radial-state size	G296 MSA 425/65R22.5 20pr 4038675	x	
Tires-Rear	Eight (8) mud & snow tread-state size	Goodyear Armor Max Pro 4238001	x	
Tow Hooks	Installed front to frame rails	6321005	x	
Warning Lights	Low oil pressure, high water temp., low air pressure,	Standard	x	
& Buzzers	low coolant level with automatic shutdown system		x	
Warranty	Attach all manufacturer standard			
Wheelbase	187"		x	
Wheels	8.25 x 22.5 Hub pilot, 10 hole disc, white	4900008	x	
Wipers	Intermittent	Standard	x	
Item No. 9 - TOTAL STANDARD VEHICLE, 66,000 GVWR				\$93,066.51

You must enter pricing in the online bid page

Item No. 9	Type: 66,000 GVWR CAB & CHASSIS (continued)	BIDDER MUST COMPLETE	Current Model Year
FEATURE	DESCRIPTION	MFG'S CODE & DESCRIPTION	PRICE
Alternative Fuel Options:			
Alternative Fuel Package: State Fuel Option and Base Price each Net			TBD
Alternative Fuel Option: Circle Applicable - (CNG, LPG, P/H/EV, E85, B20)			CNG
Alternative Fuel Operation: Circle Applicable - (State Dedicated, Bi-Fuel or Flex Fuel)			Dedicated
Gas Gallon Equivalent (State how much fuel on board)			
GGE Gas Gallon Equivalent - Option 1 State Tank Size			\$
GGE-Gas Gallon Equivalent - Option 2 State Tank Size			\$
State manufacturer and model of conversion system			
State Current or Pending EPA or CARB Certification No.			
If no cert no, please exp	CNG systems to be quoted on individual bases		
OEM Supported (offeror has QVM or SVM status or equivalent: state yes or no)			
Drop ship code (if applicable)			9400073
Axles-Front	Min 16,000 LB in lieu of 20,000 LB	N/A 20,000 standard	N/A
Axles-Rear	Min 40,000 LB in lieu of 46,000 LB	3122247	(\$1,134)
	Include price for tires, suspension, wheels, change over, etc		
Axle-Pusher	Up to 83,000 GVWR; non-steerable	3808025	\$5,915.58
	Include price for tires, suspension, wheels, change over, etc		
Back-Up Alarm	Electric	Standard	included
Battery Box Location	LH Under cab	Standard	included
Brakes	Disc Air Brake Option	2607002/3306001	\$2,523.85
Bumper	Front, 1/4 min.	Standard	included
Cab	Cab "B"	N/A	N/A
	Cab "C"	N/A	N/A
	Low Entry Cab	N/A	N/A
			\$
Cab Steps	Driver only, factory	Standard	included
	Both sides, factory	Standard	included
Cab to Axle	120"	Standard	included
			\$
			\$
			\$
			\$
			\$
Circuit Breakers	In lieu of standard fuses	9090845	\$22.52
Console	Under dash center with 1 cupholder and two 12V outlet	8700108	included
Daytime Running Lights		9090000	\$79.83
Diagnostic Software & Cables			
Engine	TBD at chassis delivery		TBD
			\$
			\$
Transmission	TBD at chassis delivery		TBD
			\$
Anti-Lock Brake/Air	TBD at chassis delivery		TBD
			\$
Anti-Lock Brake/Hydraulic	TBD at chassis delivery		TBD
			\$
Chassis Electrical System	TBD at chassis delivery		TBD
			\$
Cables	TBD at chassis delivery		TBD
			\$
			\$
Diesel Exhaust Fluid (DEF)	State size & location	11 Gallon RH BOC 7722011	included
Engines	List Diesel or Gas/ CYL/ Liter/ HP for each alternate		
Prices must include cost	PX-9 300 hp 860 Torque	129502	\$1,255.78
for tires, suspension,	PX-9 350 HP 1150 Torque	129546	\$2,196.34
changeover, etc.	PX-9 370 HP 1250 Torque	129569	\$4,774.41
			\$
			\$
Exhaust	Vertical with guard	Standard	included
Extended Warranty			\$
			\$
			\$
			\$
Floor Mat	Rubber/vinyl	Standard	included
Frame	Double channel, min .25 S.M.	Standard	included
Fuel Tanks	100 Gallon RH Under Cab wheel base extends to 189	7010100	\$5.00
	120 Gallon RH under Cab wheel base extends to 201	7010120	\$68.59
Hose	Silicone radiator and heater w/worm drive gear clamps	Standard	included
Key Options	Cost for extra key		\$
	5 sets of keys	8203060	\$16.35
Manuals	Service manuals	Standard	included
Mirrors	Phillips Fender Guides	8850817	\$108.50
	Sweep mirror	Standard	included
Outfitter Switches	Two Spare switches wired to power	8208495	\$45.05
	Includes extra wiring harness		\$

Item No. 9 FEATURE	Type: 66,000 GVWR CAB & CHASSIS (continued) DESCRIPTION	BIDDER MUST COMPLETE MFG'S CODE & DESCRIPTION	Current Model Year PRICE
	<u>OPTIONAL EQUIPMENT</u>		
Paint	Flat black on hood	9960075	\$966.15
			\$
Parking Brake Alarm		N/A	N/A
Plow Light (Snow) Wiring	Factory installed	9058030	\$76.22
Power Take Off	Installed in front of radiator PTO adapter plate on engine shaft to include 18" frame extension w/swept back and front bumper		\$478.97
Pre-Trip Light Inspection			\$
Radiator Grill	Stationary	Standard	included
Remote Power Module		N/A	N/A
Rust Proofing	State brand; include warranty & certificate	Zinc phosphate paint	\$359.25
Seats	Air suspension driver, indiv bucket, vinyl, high back	Standard	included
	2-Man passenger	8478330	\$248.68
	Cloth Interior	8411091	(\$106.46)
	Passenger side bucket	Standard	included
			\$
			\$
Service Hatch	Two (2) for use with tilt hood	N/A	N/A
Shocks	Heavy duty, front	2866020	included
Snow Valve	Inside out air intake package	1093108	1543.47
Snow Plow Package	Switch and wiring for plow	9090058	388.92
Steering Wheel	Tilt	8201200	\$199.57
	Cruise	8201041	\$1,811.52
Storage	Overhead storage area with safety net	N/A	N/A
Temporary Tag		Standard	included
Theft Deterrent System		N/A	N/A
Tow Command	Body Builder Install		TBD
Tow Hooks	2 each	Standard	included
Trailer Tow Package	Body Builder Install		TBD
Transmission	Manual 10 Speed w/Double-Low	2051362	(\$6,778.34)
	4000RDS 6-Speed	2016154	\$6,592.10
	4500RDS 6-Speed	2016158	\$7,262.45
Wiring	Body builder harness	Standard	included

Options Not Listed - Discount from MSRP- State Other Website For Pricing %

OPTION DELETE FROM STANDARD

Air brake dryer	N/A	N/A
Air Conditioning	8104004	(\$304.99)
Automatic moisture ejectors	9108001	(\$62.42)
Dash-mounted air restriction gauge	8220106	(\$70.60)
Engine block heater	1404006	(\$62.44)
Fuel water separator	N/A	N/A
Glass, tinted all windows	N/A	N/A
Hourmeter --Standard engine-activated	N/A	N/A
Radio, AM/FM	8601420	(\$176.03)
Seats: Driver: air suspension, individual bucket, vinyl	8410091	(\$63.45)
Passenger: non suspension, individual bucket, vinyl	No passenger seat in cab 8489979	(\$214.92)
Spare Tire	N/A	N/A
Spare Wheel		

End of Group I

End of Group I